

MAZZINI TYRES

DRIVE UNLIMITED

MAZZINI TYRES

2025.09.01

BEST CHOICE INTERNATIONAL TRADE CO., LTD.

Add: Room 901, Tower D, Building 1, Beijing Cultural
Creative Building, No.30 Beiyuan Road,
Chaoyang District, Beijing PRC 100032

Web: www.mazzinityre.com

E-mail: info@chinese-tyres.com

Fax: 86-10-64447978 Tel: 86-10-64449145



PRODUCT CATALOGUE >

CONTENTS

PASSENGER CAR TYRES

FALCONER F1	-----	P01
ECO307+	-----	P03
ECO607	-----	P05
ECO602	-----	P07
NITROGRIP SPORT G5S	-----	P09

SUV/LIGHT TRUCK TYRES

HIGHWAY ▾		
VARENNA S01	-----	P11
SHARK-Z02	-----	P13
SHARK-A30	-----	P13
ECOROVER	-----	P15
ON/OFF ROAD ▾		
GIANTS AVER A/T	-----	P17
GIANTXPLORER AT	-----	P19
RUGGED CONTENDER	-----	P19
MUD CRUSHER M/T	-----	P21
MUD CONTENDER	-----	P21

VAN TYRES

EFFIVAN	-----	P23
---------	-------	-----

RUN_FLAT TYRE

SUPERSPORTCHASER SSC5	-----	P25
-----------------------	-------	-----

ALL SEASON TYRES

CROSS ALLSEASON AS8	-----	P27
ECOVAN ALLSEASON AS9	-----	P29
ECOTOUR	-----	P31

WINTER TYRES

SNOWLEOPARD	-----	P33
SNOWLEOPARD LX	-----	P35
SNOWLEOPARD 2	-----	P37
SNOWLEOPARD VAN	-----	P39
ICE LEOPARD	-----	P41
ICE LEOPARD SUV	-----	P43
SNOW LEOPARD 3	-----	P45
ice LEOPARD 2	-----	P47

FALCONER F1



- > **SPEED RATE:** T / H / V / W
- > **SECTION WIDTH:** 175-245
- > **RIM:** 13-18
- > **RATIO:** 40-70

Falconer F1 is a pattern designed for comfort and safety.

The advanced asymmetrical tread design brings silence and good handling to drivers.



FALCONER F1



SIZE	L&S	UTQG			dB		M+S
175/70R13	82T	320/A/A	B	C	70	B	
175/65R14	82H	320/A/A	B	C	71	B	M+S
175/70R14	84T	320/A/A	B	C	71	B	M+S
185/55R15	82V	320/A/A	C	C	70	B	
185/60R15	88H XL	320/A/A	C	C	71	B	M+S
185/65R15	88H	320/A/A	B	C	70	B	M+S
195/50R15	82V	320/A/A	C	C	70	B	M+S
195/55R15	85V	320/A/A	C	C	70	B	M+S
195/60R15	88V	320/A/A	C	C	70	B	M+S
195/65R15	91V	320/A/A	C	C	70	B	M+S
205/65R15	94H	320/A/A	C	C	71	B	M+S
195/55R16	87V	320/A/A	C	C	71	B	M+S
205/55R16	91V	320/A/A	C	C	71	B	M+S
205/60R16	92V	320/A/A	C	C	71	B	M+S
215/55R16	97W XL	320/A/A	C	C	71	B	M+S
215/60R16	95H	320/A/A	C	C	71	B	M+S
205/45R17	88W XL	320/A/A	C	C	72	B	
205/50R17	93W XL	320/A/A	C	C	71	B	M+S
215/45R17	91W XL	320/A/A	C	C	72	B	
215/50R17	95W XL	320/A/A	C	C	71	B	M+S
215/55R17	98W XL	320/A/A	C	C	71	B	M+S
225/45R17	94W XL	320/A/A	C	C	72	B	
225/50R17	98W XL	320/A/A	C	C	71	B	M+S
225/40R18	92W XL	320/A/A	C	C	72	B	
245/45R18	100W XL	320/A/A	C	C	72	B	

PRODUCT FEATURE	EFFECT	CUSTOMER BENEFIT
> Reinforced tire structure.	> Improved cornering performance.	> Provide better handling performance
> Fiber aramid reinforced cord.	> Improve steering performance	> Maintains optimal tire shape at high speeds.
> Extended outer side of shoulder tread blocks.	> Optimized the stiffness of the tread blocks.	> Improve grip while driving.

ECO307+



- > **SPEED RATE:** T / H / V / W
- > **SECTION WIDTH:** 155-215
- > **RIM:** 13-16
- > **RATIO:** 45-80

The ECO307+ is a summer tire designed for ordinary compact cars. The symmetric tread pattern of ECO307+ is designed for good straight line high speed stability and the two anti-uneven-wear shoulder strips provide excellent wear and steering performance. The ECO307+ provides good traction and braking at all weather conditions.

PRODUCT FEATURE	EFFECT	CUSTOMER BENEFIT
> 4 wide main circumferential grooves	> Tread pattern enhances steering precision and mileage	> Good mileage
> Silent pitch arrangement	> Variable pitch tread design helps reduce noise	> Comfortable and quiet ride
> Driving safety	> Improved tyre structure guarantees a smooth ride and safe handling	> High speed safety

ECO307+



SIZE	L&S	UTQG			dB	
155/65R13	73T	400/A/A	D	D	70	B
155/80R13	79T	400/A/A	D	D	70	B
165/65R13	77T	400/A/A	D	C	70	B
175/70R13	82T	400/A/A	C	C	70	B
185/70R13	86H	400/A/A	C	C	70	B
155/65R14	75T	400/A/A	D	D	70	B
165/60R14	75H	400/A/A	D	C	70	B
165/70R14	85T XL	400/A/A	C	D	71	B
175/65R14	82T	400/A/A	C	C	70	B
175/65R14	82H	400/A/A	C	C	70	B
175/70R14	84T	400/A/A	C	C	70	B
185/60R14	82H	400/A/A	C	C	70	B
185/65R14	86H	400/A/A	C	C	70	B
185/70R14	88H	400/A/A	C	C	70	B
195/70R14	91H	400/A/A	C	C	71	B
205/70R14	95H	400/A/A	C	C	71	B
175/65R15	84H	400/A/A	C	D	70	B
185/65R15	88H	400/A/A	C	D	70	B
195/65R15	91H	400/A/A	C	C	71	B
195/65R15	91V	400/A/A	C	C	71	B
205/60R15	91V	400/A/A	C	C	71	B
205/65R15	94V	400/A/A	C	C	71	B
205/70R15	96H	400/A/A	C	C	71	B
215/70R15	98H	400/A/A	C	C	71	B
185/55R15	86V XL	480/A/A	C	C	71	B
185/60R15	84H	480/A/A	C	C	70	B
195/50R15	82V	480/A/A	D	C	71	B
195/55R15	85V	480/A/A	C	C	71	B
195/60R15	88V	480/A/A	C	C	71	B
195/60R15	88H	480/A/A	C	C	71	B
185/55R16	83V	400/A/A	D	C	70	B
205/55R16	91V	400/A/A	C	C	71	B
205/55R16	94W XL	400/A/A	C	C	72	B
205/65R16	95V	400/A/A	C	C	72	B
215/60R16	99V XL	400/A/A	C	C	72	B
195/45R16	84V XL	480/A/A	D	C	72	B
195/50R16	84V	480/A/A	D	C	71	B
195/55R16	91V XL	480/A/A	C	C	72	B
205/45R16	87W XL	480/A/A	C	C	72	B
205/50R16	87V	480/A/A	C	C	71	B
205/60R16	92V	480/A/A	C	C	72	B
205/60R16	92H	480/A/A	C	C	72	B
215/55R16	97W XL	480/A/A	C	C	72	B
215/65R16	98V	480/A/A	C	C	71	B

ECO 607



- > **SPEED RATE:** V / W / Y
- > **SECTION WIDTH:** 195-305
- > **RIM:** 15-24
- > **RATIO:** 30-55

The ECO607 is a high performance summer tyre designed for Premium cars. The directional tread pattern design provides good traction along with responsive and predictable dry and wet road handling. Tread compoud with more silica decreases energy loss and reduces rolling resistance. ECO607 has a high performance in low noise emission.



PRODUCT FEATURE	EFFECT	CUSTOMER BENEFIT
> Asymmetric pattern design Outside with circumferential straight groove in- side rug groove of shoulder area	> Give high speeds handling Drain most of the water away from black surface	> High speed safety
> High Wet Grip compound	> Maximun resistance to aquaplaning	> Unique wet handling, traction and acceleration capability
> State of the art tread compound	> improvement for traction & stability	> Unique traction and acceleration capability

SIZE	L&S	UTQG			dB		M+S
195/50R15	82V	320/A/A	D	B	71	B	M+S
195/55R15	85V	320/A/A	D	B	71	B	M+S
195/45R16	84V XL	320/A/A	C	B	71	B	M+S
195/50R16	88V XL	320/A/A	C	B	71	B	M+S
195/55R16	87V	320/A/A	D	B	71	B	
205/45R16	87W XL	320/A/A	C	B	71	B	
205/50R16	87W	320/A/A	D	B	71	B	M+S
205/55R16	94W XL	320/A/A	B	B	71	B	M+S
215/55R16	97W XL	320/A/A	B	B	71	B	M+S
225/50R16	96W XL	320/A/A	C	B	71	B	M+S
225/55R16	95V	320/A/A	D	B	71	B	M+S
205/40R17	84W XL	320/A/A	C	B	71	B	M+S
205/45R17	88W XL	320/A/A	C	B	71	B	M+S
205/50R17	93W XL	320/A/A	C	B	71	B	M+S
215/40R17	87W XL	320/A/A	D	B	71	B	M+S
215/45R17	91W XL	320/A/A	C	B	71	B	M+S
215/50R17	95W XL	320/A/A	C	B	71	B	M+S
215/55R17	98W XL	320/A/A	C	B	71	B	M+S
225/55R17	101W XL	320/A/A	B	B	71	B	M+S
225/45R17	94W XL	320/A/A	C	B	71	B	M+S
225/50R17	98W XL	320/A/A	C	B	71	B	M+S
235/50R17	100W XL	320/A/A	D	B	71	B	M+S
235/55R17	103W XL	320/A/A	B	B	71	B	M+S
245/40R17	95W XL	320/A/A	D	B	71	B	M+S
245/45R17	99W XL	320/A/A	C	B	71	B	M+S
215/35R18	84W XL	320/A/A	D	B	71	B	M+S
225/40R18	92W XL	320/A/A	C	B	71	B	M+S
225/45R18	95W XL	320/A/A	C	B	71	B	M+S
235/40R18	95W XL	320/A/A	D	B	71	B	M+S
235/45R18	98Y XL	320/A/A	D	B	71	B	M+S
235/50R18	101W XL	320/A/A	D	B	71	B	M+S
245/40R18	97Y XL	320/A/A	C	B	71	B	M+S
255/35R18	94W XL	320/A/A	D	B	72	B	M+S
255/45R18	103W XL	320/A/A	C	B	72	B	M+S
225/35R19	88W XL	320/A/A	D	B	71	B	M+S
245/35R19	93W XL	320/A/A	C	B	71	B	M+S
245/55R19	103W	320/A/A	D	B	71	B	M+S
255/35R19	96Y XL	320/A/A	D	B	72	B	M+S
255/40R19	100W XL	320/A/A	D	B	72	B	M+S
255/40R19	100Y XL	320/A/A	D	B	72	B	M+S
265/30R19	93W XL	320/A/A	D	B	72	B	M+S
275/30R19	96W XL	320/A/A	D	B	72	B	M+S
225/35R20	90W XL	320/A/A	D	B	71	B	M+S
245/35R20	95W XL	320/A/A	D	B	71	B	
255/35R20	97W XL	320/A/A	C	B	72	B	M+S
275/40R20	106Y XL	320/A/A	D	B	72	B	M+S
275/45R20	110V XL	320/A/A	C	B	72	B	M+S
275/55R20	117W XL	320/A/A	C	B	72	B	M+S
285/50R20	116V XL	320/A/A	C	B	73	B	M+S
265/35R22	102W XL	320/A/A	D	B	72	B	
285/35R22	112W XL	320/A/A	C	B	73	B	M+S
305/40R22	114W XL	320/A/A	C	B	73	B	
305/45R22	118W XL	320/A/A	C	B	73	B	
305/35R24	112W XL	320/A/A	C	B	73	B	M+S

ECO 602



- > **SPEED RATE:** Y / W
- > **SECTION WIDTH:** 215-325
- > **RIM:** 18-21
- > **RATIO:** 30-55

ECO602 is a new pattern of Mazzini series, which is aim to offer the driver and passager a luxury experience.



PRODUCT FEATURE

EFFECT

CUSTOMER BENEFIT

> Super handling and shorter braking distance.

> Silent and comfortable driving experience.

> The unique design of "water absorber" offer better wet grip for safer trip.

ECO 602



SIZE	L&S	UTQG			dB	
225/55ZR18	102W XL	480/A/A	C	B	72	B
225/50ZR18	99W XL	480/A/A	C	B	72	B
215/45ZR18	93W XL	480/A/A	D	B	72	B
215/40ZR18	89Y XL	480/A/A	D	B	72	B
255/40ZR18	99Y XL	480/A/A	C	B	73	B
265/40ZR18	101Y XL	480/A/A	C	B	73	B
275/40ZR18	103Y XL	480/A/A	C	B	73	B
265/35ZR18	97Y XL	480/A/A	C	B	73	B
275/55ZR19	111W	480/A/A	C	B	72	B
265/50ZR19	110W XL	480/A/A	C	B	73	B
225/45ZR19	96W XL	480/A/A	C	B	72	B
275/45ZR19	108W XL	480/A/A	C	B	73	B
285/45ZR19	111Y XL	480/A/A	C	B	75	B
225/40ZR19	93Y XL	480/A/A	D	B	72	B
235/40ZR19	96Y XL	480/A/A	C	B	72	B
285/40ZR19	107Y XL	480/A/A	C	B	75	B
215/35ZR19	85W XL	480/A/A	D	B	72	B
265/35ZR19	98Y XL	480/A/A	C	B	73	B
285/35ZR19	103Y XL	480/A/A	C	B	75	B
255/30ZR19	91Y XL	480/A/A	D	B	73	B
255/50ZR19	107W XL	480/A/A	C	B	73	B
245/35ZR19	93Y	480/A/A	D	B	72	B
255/35ZR19	96Y	480/A/A	C	B	73	B
255/45ZR19	104W	480/A/A	C	B	73	B
255/50ZR20	109W XL	480/A/A	C	B	73	B
255/45ZR20	105W XL	480/A/A	C	B	73	B
245/40ZR20	99Y XL	480/A/A	C	B	72	B
255/40ZR20	101Y XL	480/A/A	C	B	73	B
295/40ZR20	110Y XL	480/A/A	C	B	75	B
235/35ZR20	92Y XL	480/A/A	D	B	72	B
265/35ZR20	99Y XL	480/A/A	C	B	73	B
275/35ZR20	102Y XL	480/A/A	C	B	73	B
285/35ZR20	104Y XL	480/A/A	C	B	75	B
225/30ZR20	85Y XL	480/A/A	D	B	72	B
235/30ZR20	88Y XL	480/A/A	D	B	72	B
245/30ZR20	90Y XL	480/A/A	D	B	72	B
275/30ZR20	97Y XL	480/A/A	C	B	73	B
285/30ZR20	99Y XL	480/A/A	C	B	75	B
245/35ZR20	95Y	480/A/A	C	B	72	B
255/35ZR20	97Y	480/A/A	C	B	73	B
275/45ZR20	110W	480/A/A	C	B	73	B
265/45ZR21	104Y	480/A/A	C	B	73	B
275/45ZR21	110W XL	480/A/A	C	B	73	B
265/40ZR21	105Y XL	480/A/A	C	B	73	B
275/40ZR21	107Y XL	480/A/A	C	B	73	B
285/40ZR21	109Y XL	480/A/A	C	B	75	B
295/40ZR21	111Y XL	480/A/A	C	B	75	B
245/35ZR21	96Y XL	480/A/A	C	B	72	B
285/35ZR21	105Y XL	480/A/A	C	B	75	B
295/35ZR21	107Y XL	480/A/A	C	B	75	B
285/30ZR21	100Y XL	480/A/A	C	B	75	B
325/30ZR21	108Y XL	480/A/A	C	B	75	B

NitroGrip G5



- > **SPEED RATE:** Y / V / W / H / T
- > **SECTION WIDTH:** 155-245
- > **RIM:** 13-20
- > **RATIO:** 40-70

Designed for drivers who demand the best in performance, NitroGrip Sport G5S offers superior traction, wet handling and extended tread life. Its advanced tread design ensures ultimate handling and stability, while the optimized groove design effectively channels water to prevent hydroplaning.



PRODUCT FEATURE	EFFECT	CUSTOMER BENEFIT
> Deep 7.2mm tread depth for robust wear resistance.	> Superior wet/dry traction for all-season confidence.	> Drive longer, Extended mileage without sacrificing grip
> Reinforced center ribs for enhanced steering response.	> Reduced road noise and smoother ride comfort.	> Stay safe, Reliable braking in rain or shine
> Four evenly spaced drainage grooves to prevent hydroplaning.	> Improved cornering stability at high speeds.	> Enjoy precision, Effortless control on every turn

NitroGrip G5



SIZE	L&S	UTQG			dB	
155/70R13	75T	400/A/A	D	D	70	B
165/70R13	79T	400/A/A	D	D	70	B
175/60R13	77H	400/A/A	D	C	70	B
165/65R14	79T	400/A/A	D	C	70	B
175/60R14	79H	400/A/A	D	C	70	B
195/60R14	86H	400/A/A	C	C	71	B
215/65R15	96H	400/A/A	C	C	71	B
185/50R16	81V	400/A/A	D	C	70	B
215/45R16	90W XL	400/A/A	C	C	72	B
225/50R16	96W XL	400/A/A	C	C	72	B
225/55R16	99W XL	400/A/A	C	C	72	B
225/60R16	98H	400/A/A	C	C	71	B
235/60R16	100V	400/A/A	C	C	71	B
195/40R17	81W	400/A/A	D	B	71	B
195/45R17	85W	400/A/A	D	B	71	B
205/40R17	84W XL	400/A/A	D	B	72	B
205/45R17	84W	400/A/A	D	B	71	B
205/50R17	93W XL	400/A/A	C	B	72	B
205/55R17	95W XL	400/A/A	C	B	72	B
215/40R17	87W XL	400/A/A	C	B	72	B
215/45R17	91Y XL	400/A/A	C	B	72	B
215/50R17	95W XL	400/A/A	C	B	72	B
215/55R17	98W XL	400/A/A	C	B	72	B
225/45R17	94W XL	400/A/A	C	B	72	B
225/50R17	98W XL	400/A/A	C	B	72	B
225/55R17	101W XL	400/A/A	C	B	72	B
235/45R17	97W XL	400/A/A	C	B	72	B
235/50R17	100W XL	400/A/A	C	B	72	B
235/55R17	103W XL	400/A/A	C	B	72	B
215/45R18	93Y XL	400/A/A	C	B	72	B
215/50R18	92W	400/A/A	C	B	71	B
215/55R18	99W XL	400/A/A	C	B	72	B
225/45R18	95W XL	400/A/A	C	B	72	B
225/50R18	95W	400/A/A	C	B	71	B
225/55R18	98V	400/A/A	C	B	71	B
235/45R18	98Y XL	400/A/A	C	B	72	B
235/50R18	101W XL	400/A/A	C	B	72	B
235/55R18	104Y XL	400/A/A	C	B	72	B
245/45R18	100W XL	400/A/A	C	B	72	B
245/50R18	104W XL	400/A/A	C	B	72	B
205/55R19	97W	400/A/A	C	B	71	B
195/55R20	95V	400/A/A	C	B	71	B

VARENNA S01



- > **SPEED RATE:** V / Y / W
- > **SECTION WIDTH:** 225-275
- > **RIM:** 19-20
- > **RATIO:** 35-55

The VARENNA S01 features a claw-like bionic tread pattern that significantly enhances stability at high speeds. The double-shoulder transverse groove design facilitates rapid water drainage, while the carefully designed corner cuts effectively break up water film and prevent slipping. These synergistic designs ensure the tire maintains strong grip and excellent handling performance, whether on dry or wet roads, giving you confidence while driving.

VARENNA S01



SIZE	L&S	UTQG			dB	
225/55R19	99V	420/A/A	C	B	71	B
235/50R19	99V	420/A/A	D	B	71	B
235/55R19	105W XL	420/A/A	C	B	72	B
245/40R19	98Y XL	320/A/A	C	B	72	B
245/45R19	102Y XL	320/A/A	C	B	72	B
255/45R19	100V	420/A/A	D	B	72	B
255/55R19	111V XL	420/A/A	C	B	73	B
275/35R19	100Y XL	320/A/A	D	B	73	B
275/40R19	101Y	320/A/A	D	B	72	B
245/50R20	102V	420/A/A	C	B	71	B

PRODUCT FEATURE	EFFECT	CUSTOMER BENEFIT
> 4 wide main circumferential grooves design	> With optimized tread pattern	> Improved steering response
> Using silent tone arrangement techniques	> Variable pitch tread design	> Can significantly reduce noise during driving
> Improved and upgraded tire structure	> Ensure stability during driving	> Provide stable and reliable security protection

SHARK-Z02



- > SPEED RATE: **H/V/W**
- > SECTION WIDTH: **265/295**
- > RIM: **15/18/20**
- > RATIO: **50/60**

The SHARK-Z02 tyre is designed for your truck or SUV.

The tyre features an asymmetrical pattern that can be cross - rotated so it wears more evenly. SHARK-Z02 is an ultra high performance tyre that provide perfect performance on road.



SHARK-A30



- > SPEED RATE: **V**
- > SECTION WIDTH: **265**
- > RIM: **19/20**
- > RATIO: **55**

The SHARK-A30 is a durable high-performance tyre tailored for enthusiasts who seek a combination of high-speed handling, durability, and wet traction. Designed for SUV and light truck owners, it provides on-road comfort, excellent stability, and good performance in wet conditions. As a high - performance tyre, the SHARK-A30 maintains stability, comfort, and low noise even in wet and high-speed situations, giving drivers the confidence they need for high-speed driving.



SIZE	L&S	UTQG			dB	
295/50R15	108H XL	420/A/A	C	C	73	B
265/60R18	110V	420/A/A	C	C	72	B
265/50R20	111W XL	420/A/A	C	B	75	B

PRODUCT FEATURE	EFFECT	CUSTOMER BENEFIT
> Long Connected Block design improves handling and wet grip.	> Stone Ejector design enhances durability with a rugged, abrasion- resistant compound.	> Large block design improves wear performance, contact pressure distribution, and overall handling stability.

SIZE	L&S	UTQG			dB	
265/55R19	109 V	420/A/A	C	B	72	B
265/55R20	113 V	420/A/A	C	B	72	B

ECOROVER



- > **SPEED RATE:** Q / R / S / T
- > **SECTION WIDTH:** 215-285
- > **RIM:** 16-20
- > **RATIO:** 60-70

Built for pickup truck and on-road SUV owners, the ECOROVER is designed for long mileage and high wear resistance, delivering a quiet and comfortable ride.



PRODUCT FEATURE

EFFECT

CUSTOMER BENEFIT

- | | | |
|---|---|---|
| <ul style="list-style-type: none"> > Nano-scale reinforced rubber composite materials. > Dynamic pressure balance design. > Cross-shaped grooves and unique tread blocks. | <ul style="list-style-type: none"> > High wear resistance. > Maintain stable contact. > Can reduce noise. | <ul style="list-style-type: none"> > Can extend driving mileage. > Ensure even tyre wear. > Provides a quieter and smoother driving experience. |
|---|---|---|

ECOROVER



SIZE	L&S	UTQG			dB	
225/65R16	100H	440/A/B	D	C	72	B
235/65R16	103H	480/A/A	C	C	71	B
255/65R16	109T	480/A/A	C	C	71	B
215/70R16	100H	480/A/A	C	C	72	B
225/70R16	103T	480/A/A	C	C	71	B
235/70R16	106H	480/A/A	C	C	71	B
245/70R16	107H	480/A/A	C	C	71	B
255/70R16	111T	480/A/A	C	C	71	B
265/70R16	112T	480/A/A	C	C	72	B
275/70R16	114T	480/A/A	C	C	72	B
215/60R17	100H XL	480/A/A	C	C	72	B
225/60R17	99H	480/A/A	C	C	72	B
235/60R17	102H	480/A/A	C	C	71	B
215/65R17	99V	480/A/A	C	C	71	B
225/65R17	102H	480/A/A	C	C	71	B
235/65R17	108H XL	480/A/A	C	C	71	B
245/65R17	107H	480/A/A	C	C	72	B
255/65R17	110H	480/A/A	C	C	71	B
265/65R17	102H	480/A/A	C	C	72	B
225/70R17	108T XL	480/A/A	C	C	72	B
245/70R17	110T	480/A/A	C	C	72	B
265/70R17	115T	480/A/A	C	C	71	B
225/60R18	104H XL	480/A/A	C	C	72	B
235/60R18	107V XL	480/A/A	C	C	72	B
245/60R18	105H	480/A/A	C	C	72	B
265/60R18	110H	480/A/A	C	C	71	B
285/60R18	120H XL	480/A/A	C	B	72	B
235/65R18	110H XL	480/A/A	C	B	75	B
265/65R18	114H	480/A/A	C	C	72	B
255/70R18	113H	480/A/A	C	C	72	B
275/65R18	116H XL	480/A/A	C	C	72	B
275/60R20	115H	480/A/A	C	B	73	B

GIANTS A/T



- > **SPEED RATE:** R / S / T
- > **SECTION WIDTH:** 215-315
- > **RIM:** 15-18
- > **RATIO:** 60-85

GIANTS A/T is premium On/Off-Road All-Terrain tyre developed for light truck drivers looking to combine on-road competence with off-road versatility.



PRODUCT FEATURE

EFFECT

CUSTOMER BENEFIT

- | | | |
|--|--|-----------------------------------|
| > Circumferential grooves and lateral sipes | > Increase traction on wet surface | > Traction and Safety |
| > Strong carcass & jointless mono-strand bead bundle | > Better reliable operation in rough terrain | > Safety and excellent traction |
| > Deep-biting and self-cleaning tread lugs design | > Better traction under extreme conditions | > Got extra bite on rough terrain |

GIANTS A/T



SIZE	L&S	UTQG			dB		M+S
215/70R16	99T	480/A/B	D	D	71	B	M+S
225/70R16	107T XL	480/A/B	D	D	72	B	M+S
235/70R16	106T	480/A/B	D	D	71	B	M+S
245/70R16	111T XL	480/A/B	D	D	72	B	M+S
255/70R16	111T	480/A/B	D	D	72	B	M+S
265/70R16	112T	480/A/B	D	D	72	B	M+S
265/65R17	112T	480/A/B	D	D	72	B	M+S
265/70R17	113T	480/A/B	D	D	72	B	M+S
275/65R17	115T	480/A/B	D	D	72	B	M+S
265/60R18	110T	480/A/B	D		72	B	

SIZE	L&S	UTQG	PR			dB		M+S
215/75R15LT	106/103S	480/A/A	8PR	D	C	73	B	M+S
225/75R15LT	108/104S		8PR	D	C	73	B	M+S
235/75R15LT	110/107S		8PR	D	C	73	B	M+S
31x10.50R15LT	109S		6PR	D	C	73	B	M+S
215/85R16LT	115/112S		10PR	D	C	73	B	M+S
225/75R16LT	115/112S		10PR	D	C	73	B	M+S
235/85R16LT	120/116S		10PR	D	C	73	B	M+S
245/75R16LT	120/116S		10PR	D	C	73	B	M+S
265/70R16LT	121/118R		10PR	D	C	73	B	M+S
265/75R16LT	123/120S		10PR	/	/	/	/	M+S
285/75R16LT	126/123R		10PR	/	/	/	/	M+S
245/75R17LT	121/118S		10PR	/	/	/	/	M+S
265/70R17LT	121/118S		10PR	D	C	73	B	M+S
285/70R17LT	121/118S		10PR	D	C	73	B	M+S
305/70R17LT	121/118R		10PR	D	C	73	B	M+S
315/70R17LT	121/118R		10PR	D	C	73	B	M+S
275/65R18LT	123/120S		10PR	/	/	/	/	M+S

Giants Explorer AT



- > SPEED RATE: **T / S / Q / R**
- > SECTION WIDTH: **185-315**
- > RIM: **15-18**
- > RATIO: **60-75**

Aggressive and popular All Terrain pattern. Modern side-wall with raised white letters. Wide driving surface, increases the contact area with the road. Adapt to all road conditions with outstanding durability. Developed to meet the needs of jeep, pickup truck and sport utility vehicle drivers when driving on- and off- road.



SIZE	L&S	PR
185R14C		
195R15C		
235/75R15		
215/70R16	100T	4PR
235/60R16		
245/70R16	111T	4PR
255/70R16		
265/70R16	112T	4PR
225/65R17	102T	4PR
265/65R17	112T	4PR
265/70R17	115T	4PR
265/60R18	110T	4PR

SIZE	L&S	PR
31x10.50R15LT	109S	6PR
LT235/75R15	110/107S	8PR
LT225/70R16		
LT235/70R16	106T	
LT245/75R16	120/116S	10PR
LT265/65R17	120	
LT265/75R16	123/120S	10PR
LT285/75R16	126/123S	10PR
LT245/70R17	19/116Q	
LT275/70R17	121LT	
LT285/70R17	121/118R	
LT315/70R17	121/118S	
LT245/65R17	117/114S	10PR
LT265/65R17	120	
LT265/65R18	122	
LT275/65R18	116T	
LT285/60R18	118/115S	
LT285/70R18		

RUGGED CONTENDER



- > SPEED RATE: **Q**
- > SECTION WIDTH: **235-265**
- > RIM: **15-22**
- > RATIO: **70-75**

Hybrid Terrain Design

Specially Designed Dynamic Tread Pattern

Staggered Shoulder Lugs



SIZE	L&S	PR
LT235/75R15	104/101Q	6PR
LT245/75R16	120/116Q	10PR
LT265/70R17	121/118Q	10PR
33X12.50R17LT	120Q	10PR
33X12.50R18LT	118Q	10PR
33X12.50R20LT	114Q	10PR
35X12.50R20LT	121Q	10PR
33X12.50R22LT	109Q	10PR

Mud Gruser M/T



- > **SPEED RATE:** Q
- > **SECTION WIDTH:** 215-285
- > **RIM:** 15-17
- > **RATIO:** 65-85

Attractive direction pattern. Large tread blocks provide stable traction on various gravel roads, and center blocks are for maximum traction in tough mud road condition. Provides strong traction on muddy roads. This pattern design are used to remove the dirt stuck to the pattern groove.



SIZE	L&S	PR
LT31x10.50R15 RWL(L)	109Q	6PR
LT215/75R15 RWL(L)	106/103Q	8PR
LT235/85R16 RWL(L)	120/116Q	10PR
LT245/75R16 RWL(L)	120/116Q	10PR
LT265/70R16 RWL(L)	117/114Q	8PR
LT265/75R16 RWL(L)	123/120Q	10PR
LT285/75R16 RWL(L)	126/123Q	10PR
LT265/65R17 RWL(L)	120/117Q	10PR
LT265/70R17 RWL(L)	121/118Q	10PR
LT31x10.50R15 RWL(R)	109Q	6PR
LT215/75R15 RWL(R)	106/103Q	8PR
LT235/85R16 RWL(R)	120/116Q	10PR
LT245/75R16 RWL(R)	120/116Q	10PR
LT265/70R16 RWL(R)	117/114Q	8PR
LT265/75R16 RWL(R)	123/120Q	10PR
LT285/75R16 RWL(R)	126/123Q	10PR
LT265/65R17 RWL(R)	120/117Q	10PR
LT265/70R17 RWL(R)	121/118Q	10PR

MUD CONTENDER



- > **SPEED RATE:** Q
- > **SECTION WIDTH:** 215-295
- > **RIM:** 15-20
- > **RATIO:** 55-75

MUD CONTENDER is designed for off-road terrain. Specially arranged profile blocks can obtain the best traction in soil and rock. MUD CONTENDER has excellent off-road traction, durable structure and aggressive shape to offer you the aggressive ride.



SIZE	L&S	PR
31x10.50R15LT	109Q	6PR
LT235/75R15	110/107Q	8PR
LT215/75R15	106/103Q	8PR
LT245/75R16	114/111Q	8PR
LT265/75R16	123/120Q	10PR
LT285/75R16	126/123Q	10PR
33x12.50R17LT	120Q	10PR
LT265/70R17	121/118Q	10PR
LT285/70R17	121/118Q	10PR
LT285/75R17	121/118Q	10PR
LT295/70R17	121/118Q	10PR
33x12.50R18LT	118Q	10PR
LT275/65R18	123/120Q	10PR
LT285/70R18	127/124Q	10PR
33x12.50R20LT	114Q	10PR
35x12.50R20LT	121Q	10PR
LT285/55R20	122/119Q	10PR

Effi Van



SPEED RATE: Q / R / S / T

SECTION WIDTH: 155-235

RIM: 13-17

RATIO: 65-75

The EffiVan is a max performance summer tyre designed for VAN, Commercial Vehicle and Light Truck. The EffiVan provides good traction and safety driving.



Effi Van



SIZE	L&S	PR			dB		M+S
155R13C	85/83S	6PR	D	C	72	B	M+S
165R13C	94/93R	8PR	D	C	72	B	M+S
175R13C	97/95S	8PR	D	C	72	B	M+S
165/70R13C	88/86T	6PR	D	C	72	B	
175R14C	99/98R	8PR	D	C	72	B	M+S
175/70R14C	95/93S	6PR	D	C	72	B	M+S
185R14C	102/100Q	8PR	C	C	72	B	M+S
195R14C	106/104Q	8PR	C	C	72	B	M+S
205R14C	109/107S	8PR	C	C	72	B	M+S
195/70R15C	104/102R	8PR	C	C	72	B	M+S
195R15C	106/104Q	8PR	C	C	72	B	M+S
205/70R15C	106/104R	8PR	C	C	72	B	M+S
215/70R15C	109/107S	8PR	C	C	72	B	M+S
225/70R15C	112/110S	8PR	C	C	72	B	M+S
185/75R16C	104/102R	8PR	C	C	72	B	M+S
195/60R16C	99/97T	6PR					
195/65R16C	104/102R	8PR	C	C	72	B	M+S
195/75R16C	107/105R	8PR	C	C	72	B	M+S
205/65R16C	107/105R	8PR	C	C	72	B	M+S
205/75R16C	113/111R	10PR					
215/60R16C	108/106T	8PR					
215/65R16C	109/107R	8PR	C	C	72	B	M+S
215/75R16C	116/114R	10PR	C	C	72	B	M+S
225/65R16C	112/110R	8PR	C	C	72	B	M+S
235/65R16C	115/113R	8PR					
215/60R17C	109/107T	8PR					

PRODUCT FEATURE	EFFECT	CUSTOMER BENEFIT
> Closed groove and variable pitch optimization.	> Reduce lateral air flow across the tread.	> Reduce tire noise.
> Continuous tread block design on the shoulder.	> Optimize tire contact patch and pressure distribution.	> Reduce irregular wear.
> Special environmentally friendly wear-resistant formula design.	> Enhanced durability.	> Improve mileage.

SuperSportChaser SSC5



- > **SPEED RATE:** Y / V / W
- > **SECTION WIDTH:** 195-275
- > **RIM:** 16-20
- > **RATIO:** 35-55

Reduced danger and hassle.

Drive after a loss of some or all inflation pressure for up to 80km at maximum speed up to 80km/h.

Compatible with standard wheel rims.

No need for a spare tyre.



SuperSportChaser SSC5



SIZE	L&S	UTQG			dB	
195/55RF16	87V	320/A/B	D	C	71	B
205/55RF16	91V	320/A/B	D	C	71	B
205/45RF17	84V	320/A/B	D	B	71	B
205/50ZRF17	89W	320/A/A	D	B	71	B
205/55ZRF17	95W XL	320/A/A	D	B	71	B
225/45ZRF17	91W	320/A/A	D	B	71	B
225/50ZRF17	94W	320/A/A	D	B	71	B
225/55ZRF17	97W	320/A/A	D	B	71	B
225/40ZRF18	88W	320/A/A	D	B	71	B
225/45ZRF18	91W	320/A/A	D	B	71	B
225/50ZRF18	95W	320/A/A	D	B	71	B
235/50ZRF18	97W					
245/40ZRF18	97W XL	320/A/A	D	B	71	B
245/45ZRF18	96W	320/A/A	D	B	71	B
255/45ZRF18	99W	320/A/A	D	B	71	B
225/35ZRF19	88Y XL	320/A/A	D	B	71	B
225/40ZRF19	93Y XL	320/A/A	D	B	71	B
225/45ZRF19	96W XL	320/A/A	D	B	71	B
245/40ZRF19	98Y XL	320/A/A	D	B	71	B
245/45ZRF19	102Y XL	320/A/A	D	B	71	B
255/35ZRF19	92Y	320/A/A	D	B	71	B
275/35ZRF19	100Y XL					
255/45ZRF20	101W	320/A/A	D	B	71	B

Advanced Run-Flat Technology

> Product Feature

Reinforced sidewalls to support the vehicle in the event of an air pressure loss.

>

In case of tyre pressure loss, the run-flat tyre can continue your journey up to 80 kilometers at a maximum speed of 80 km/h.

> Customer Benefit


Increasing safety.



RFT Tyre



Normal Tyre



CROSS ALLSEASON AS8



- > **SPEED RATE:** T / H / V / W / Y
- > **SECTION WIDTH:** 155-275
- > **RIM:** 13-21
- > **RATIO:** 35-80



Combine reliable winter safety with the precise driving stability and firm handing of our summer tyres.

The AS8 Weatherproof product offers first class safety and durability for year round use. All sizes have the Snowflake symbol (3PMFS), which indicates that the tyres have been officially approved for winter use.

PRODUCT FEATURE	EFFECT	CUSTOMER BENEFIT
> Special compound for all season tyre tread can ensure the comprehensive performance in summer and winter.	> Special compound for all season tyre tread	> ensure the comprehensive performance in summer and winter.
> Directional pattern design can maintain good high-speed stability, better snow discharge and water drainage performance.	> maintain good high-speed stability	> better snow discharge and water drainage performance.
> Optimize pitch width and pitch arrangement can reduce noise.	> Optimize pitch width and pitch arrangement	> reduce noise.

CROSS ALLSEASON AS8



SIZE	L&S	UTQG			dB		SIZE	L&S	UTQG			dB	
155/65R13	73T	420/A/A	C	C	70	B	215/55ZR17	98W	420/A/A	C	B	71	B
155/80R13	79T	420/A/A	C	C	70	B	215/60R17	100V	420/A/A	C	B	71	B
165/70R13	79T	420/A/A	C	C	70	B	215/65R17	99V	420/A/A	C	B	71	B
175/70R13	82T	420/A/A	C	C	70	B	225/45ZR17	94Y	420/A/A	C	B	71	B
185/70R13	86T	420/A/A	C	C	70	B	225/50ZR17	98Y	420/A/A	C	B	71	B
155/65R14	75T	420/A/A	C	C	70	B	225/55ZR17	101W	420/A/A	C	B	71	B
165/65R14	79T	420/A/A	C	C	70	B	225/60R17	103V	420/A/A	B	B	71	B
165/70R14	81T	420/A/A	C	C	70	B	225/65R17	106V	420/A/A	B	B	71	B
175/65R14	82T	420/A/A	C	C	70	B	235/45ZR17	97W	420/A/A	C	B	71	B
185/65R14	86H	420/A/A	C	C	70	B	235/55ZR17	103W	420/A/A	B	B	71	B
185/70R14	88T	420/A/A	C	C	70	B	235/65R17	108V	420/A/A	B	B	71	B
205/70R14	94T	420/A/A	C	C	71	B	245/45ZR17	99W	420/A/A	C	B	71	B
165/65R15	81H	420/A/A	C	C	70	B	215/50ZR18	92W	420/A/A	C	B	71	B
175/65R15	84H	420/A/A	C	C	70	B	215/55R18	99V	420/A/A	C	B	71	B
185/55R15	82H	420/A/A	C	C	70	B	225/40ZR18	92Y	420/A/A	C	B	71	B
185/60R15	88H	420/A/A	C	C	70	B	225/45ZR18	95W	420/A/A	C	B	71	B
185/65R15	88H	420/A/A	C	C	70	B	225/50ZR18	99W	420/A/A	C	B	71	B
195/50R15	82V	420/A/A	C	C	71	B	225/55R18	98V	420/A/A	C	B	71	B
195/55R15	85V	420/A/A	C	C	71	B	235/45ZR18	98Y	420/A/A	C	B	71	B
195/60R15	88V	420/A/A	C	C	71	B	235/50ZR18	101W	420/A/A	C	B	71	B
195/65R15	91H	420/A/A	C	C	71	B	235/55R18	104V	420/A/A	B	B	71	B
205/65R15	94V	420/A/A	C	C	71	B	235/60R18	107V	420/A/A	B	B	71	B
215/65R15	96H	420/A/A	C	C	71	B	245/40ZR18	97Y	420/A/A	C	B	71	B
195/45R16	84V	420/A/A	C	C	71	B	245/45ZR18	100Y	420/A/A	C	B	71	B
195/50R16	88V	420/A/A	C	C	71	B	255/40ZR18	95Y	420/A/A	C	B	71	B
195/55R16	91V	420/A/A	C	C	71	B	205/55ZR19	97W	420/A/A	C	C	71	B
195/60R16	89V	420/A/A	C	C	71	B	215/50ZR19	93W	420/A/A	C	B	71	B
205/45ZR16	87W	420/A/A	C	C	71	B	225/35ZR19	88Y	420/A/A	C	B	71	B
205/50ZR16	91W	420/A/A	C	C	71	B	225/40ZR19	93Y	420/A/A	C	B	71	B
205/55R16	91V	420/A/A	C	C	71	B	225/45ZR19	96Y	420/A/A	C	B	71	B
205/60R16	96V	420/A/A	C	C	71	B	225/55ZR19	99W	420/A/A	C	B	71	B
215/45R16	90V	420/A/A	C	B	71	B	235/35ZR19	91Y	420/A/A	C	B	71	B
215/55ZR16	97W	420/A/A	C	B	71	B	235/40ZR19	96Y	420/A/A	C	B	71	B
215/60R16	99V	420/A/A	C	B	71	B	235/45ZR19	99Y	420/A/A	C	B	71	B
215/65R16	98V	420/A/A	C	B	71	B	235/50ZR19	103W	420/A/A	B	B	71	B
215/70R16	100H	420/A/A	C	B	71	B	235/55ZR19	105W	420/A/A	B	B	71	B
225/55ZR16	99W	420/A/A	C	B	71	B	245/40ZR19	98Y	420/A/A	C	B	71	B
225/60R16	102V	420/A/A	B	B	71	B	245/45ZR19	102Y	420/A/A	B	B	71	B
235/60R16	100V	420/A/A	C	B	71	B	255/35ZR19	96Y	420/A/A	C	B	71	B
205/40ZR17	84W	420/A/A	C	C	71	B	255/40ZR19	100Y	420/A/A	C	B	71	B
205/45ZR17	88W	420/A/A	C	C	71	B	255/50ZR19	103W	420/A/A	B	B	71	B
205/50ZR17	93W	420/A/A	C	C	71	B	245/45ZR20	103Y	420/A/A	B	B	71	B
205/55ZR17	95W	420/A/A	C	C	71	B	255/40ZR20	101Y	420/A/A	C	B	71	B
215/40ZR17	87W	420/A/A	C	B	71	B	255/45ZR20	105W	420/A/A	B	B	71	B
215/45ZR17	91W	420/A/A	C	B	71	B	275/40ZR20	106Y	420/A/A	B	B	71	B
215/50ZR17	95W	420/A/A	C	B	71	B	235/45ZR21	101W	420/A/A	C	B	71	B
							255/40ZR21	102Y	420/A/A	B	B	71	B

ECOVAN ALLSEASON-AS9



- > **SPEED RATE:** R / T / S / H
- > **SECTION WIDTH:** 175-235
- > **RIM:** 14-17
- > **RATIO:** 60-75

ECOVAN ALLSEASON-AS9 tyre delivers traction, durability and performance you need in demanding conditions.


Special pattern design enables to enjoy flexible operation and control on all kinds



ECOVAN ALLSEASON-AS9



SIZE	L&S	PR			dB		M+S
175/65R14C	90/88T	6PR	D	B	72	B	M+S
175/70R14C	95/93T	6PR	C	B	72	B	M+S
195/70R15C	104/102S	8PR	C	B	72	B	M+S
205/70R15C	106/104S	8PR	C	B	72	B	M+S
215/70R15C	109/107S	8PR	C	B	72	B	M+S
225/70R15C	112/110S	8PR	C	B	72	B	M+S
185/75R16C	104/102S	8PR	C	B	72	B	M+S
195/60R16C	99/97H	6PR	C	B	72	B	M+S
195/65R16C	104/102S	8PR	C	B	72	B	M+S
195/75R16C	107/105S	8PR	C	B	72	B	M+S
205/65R16C	107/105T	8PR	C	B	72	B	M+S
205/75R16C	113/111S	10PR	C	B	72	B	M+S
215/60R16C	103/101T	6PR	C	B	72	B	M+S
215/65R16C	109/107T	8PR	C	B	72	B	M+S
215/75R16C	113/111S	8PR	C	B	72	B	M+S
225/65R16C	112/110S	8PR	C	B	72	B	M+S
225/75R16C	121/120R	10PR	C	B	72	B	M+S
235/65R16C	115/113S	8PR	C	B	72	B	M+S
215/60R17C	109/107T	8PR	C	B	72	B	M+S



PRODUCT FEATURE	EFFECT	CUSTOMER BENEFIT
> The wide groove and asymmetrical pattern design	> Bring excellent handling stability and outstanding drainage performance.	> Drive safety
> The Soft Tread compound and enhanced sidewall stiffness comprehensively	> Improve the performance of tyres on snowy and icy roads	> Better driving experience
> The reinforced bars and jagged design	> Provide excellent braking performance	> Drive safety

ECOTOUR



COMFORT



QUIET



ECONOMY



HIGH MILEAGE

- > SPEED RATE: **R**
- > SECTION WIDTH: **185**
- > RIM: **16**
- > RATIO: **75**

The ECOTOUR is designed specifically for Russia. ECOTOUR provides good traction and braking at allweather conditions for your safety and comfortable driving.



M+S

SIZE	L&S	UTQG			dB		M+S
185/75R16C	104/102R	8PR	D	D	71	B	M+S
195/75R16C	107/105R	8PR	D	D	72	B	

SNOW LEOPARD



- > **SPEED RATE:** T / V / H / Q
- > **SECTION WIDTH:** 165-245
- > **RIM:** 13-18
- > **RATIO:** 40-75

SNOWLEOPARD is the special pattern design with single-direction and V style sipe provides excellent performance on ice and snow.

SNOW LEOPARD



SIZE	L&S			dB	
165/70R13	83T XL	D	C	71	B
175/70R13	82T	D	C	71	B
165/70R14	81T	D	C	71	B
175/65R14	82T	D	C	71	B
175/70R14	84T	D	C	71	B
185/60R14	82T	D	C	71	B
185/65R14	90T XL	D	C	71	B
185/70R14	88T	D	C	71	B
195/60R14	86Q	D	C	72	B
185/60R15	84T	D	C	71	B
185/65R15	88T	D	C	71	B
195/55R15	85T	D	C	72	B
195/60R15	88T	D	C	72	B
195/65R15	91T	D	C	72	B
205/65R15	94T	D	C	72	B
215/70R15	98T	D	C	72	B
235/75R15	105Q	D	C	72	B
195/55R16	91H XL	D	C	72	B
205/55R16	91T	D	C	72	B
205/60R16	96T XL	D	C	72	B
215/55R16	97T XL	D	C	72	B
215/60R16	95T	D	C	72	B
215/65R16	98T	D	C	72	B
225/55R16	99T XL	D	C	72	B
225/60R16	102T XL	D	C	72	B
225/65R16	100T	D	C	72	B
215/45R17	91V XL	D	C	72	B
215/50R17	95H XL	D	C	72	B
215/55R17	94T	D	C	72	B
225/45R17	94H XL	D	C	72	B
225/50R17	98H XL	D	C	72	B
225/55R17	101H XL	D	C	72	B
225/65R17	102T	D	C	72	B
235/45R17	97H XL	D	C	72	B
235/55R17	99T	D	C	72	B
225/40R18	92H XL	D	C	72	B
225/45R18	95H XL	D	C	72	B
245/40R18	93V	D	C	72	B
245/45R18	100V XL	D	C	72	B

PRODUCT FEATURE	EFFECT	CUSTOMER BENEFIT
> The wide pattern and 3D sawtooth sipe design.	> Effectively improved grasp force of tire on ice and snow.	> Traction and Safety.
> The special V shape and single direction groove design.	> Increased drainage and brake performance in winter.	> Good control performance.
> High silica tread compound.	> Provide excellent low temperature resistance and adhesion on ice and snow.	> Good traction and handling performance.

SNOW LEOPARD LX



- > **SPEED RATE:** T / Q
- > **SECTION WIDTH:** 215-275
- > **RIM:** 16-20
- > **RATIO:** 55-70

SNOWLEOPARD LX is the special pattern design with single-direction and V style sipe provides excellent performance on ice and snow.



SNOW LEOPARD LX



SIZE	L&S			dB	
215/70R16	100Q	D	C	72	B
235/70R16	106Q	D	C	72	B
215/60R17	96T	D	C	72	B
225/60R17	99T	D	C	72	B
235/65R17	104T	D	C	72	B
265/65R17	112T	D	C	73	B
265/70R17	115T	D	C	73	B
275/65R17	115T	D	C	73	B
235/55R18	104T XL	D	C	72	B
235/60R18	103T	D	C	72	B
275/65R18	116T	D	C	73	B
275/55R20	117T XL	D	C	73	B
275/60R20	115T	D	C	73	B



PRODUCT FEATURE	EFFECT	CUSTOMER BENEFIT
> The wide pattern and 3D sawtooth sipe design.	> Effectively improved grasp force of tire on ice and snow.	> Traction and Safety.
> The special V shape and single direction groove design.	> Increased drainage and brake performance in winter.	> Good control performance.
> High silica tread compound and strengthened carcass design.	> Provide excellent low temperature resistance and adhesion on ice and snow.	> Good traction and handling performance.

SNOW LEOPARD 2



- > **SPEED RATE:** T / H / V / Q
- > **SECTION WIDTH:** 145-285
- > **RIM:** 12-20
- > **RATIO:** 35-70

SNOW LEOPARD2 has excellent handling performance on snow and icy roads. The tiny sipes of tyres reduce the noise caused by the impact of the tyre on the road which provide a comfortable driving experience.



SNOW LEOPARD 2



SIZE	L&S			dB	
145/70R12	69Q				
155/65R13	73Q				
175/65R14	82T	C	B	71	B
185/65R14	90T XL	C	B	71	B
175/65R15	88T	C	B	71	B
185/55R15	82T	B	C	71	B
185/60R15	88H				
185/65R15	92H				
195/50R15	82H	B	C	72	B
195/65R15	95H				
205/55R16	94V				
205/60R16	96H				
215/55R16	97V				
215/60R16	99H				
215/65R16	102H				
225/70R16	103T	C	B	72	B
245/70R16	107T	B	C	72	B
205/50R17	93V				
205/55R17	95H XL	B	C	72	B
215/55R17	98V				
225/45R17	94V				
225/50R17	98V				
225/55R17	101V				
225/60R17	103T XL	C	B	72	B
225/65R17	106T XL	C	B	72	B
235/65R17	108T	C	B	72	B
245/65R17	107T	B	C	72	B
215/55R18	99H XL	B	C	72	B
225/55R18	102T XL	C	B	72	B
225/60R18	104T XL	B	C	72	B
235/45R18	98V				
235/50R18	101V	C	B	72	B
235/60R18	107T XL	C	B	72	B
235/65R18	110T XL	C	B	72	B
245/45R18	100T XL	C	B	72	B
255/55R18	109T	C	B	73	B
265/60R18	114T XL	C	B	73	B
285/60R18	116T	C	B	75	B
225/45R19	96H	C	B	72	B
225/55R19	99H	B	C	72	B
235/35R19	91V XL	B	C	72	B
235/40R19	96V XL	C	B	72	B
235/50R19	103V	C	B	72	B
235/55R19	105H XL	B	C	72	B
245/45R19	102H XL	B	C	72	B
245/55R19	107H XL	C	B	72	B
255/40R19	100V XL	B	C	73	B
255/45R19	104H XL	C	B	73	B
255/50R19	107T XL	B	C	73	B
235/45R20	100H XL	C	B	72	B

PRODUCT FEATURE	EFFECT	CUSTOMER BENEFIT
> The large rigidity block and tiny sipes	> provides excellent handling and reduce the noise	> Safety and quiet
> Multi-cross pattern	> provides grip on icy and snowy roads	> Optimum grip and safety
> Three longitudinal zigzag grooves	> provide high drainage performance and handling performance on snow and icy roads	> High speed safety Optimum grip and safety

SNOW LEOPARD VAN



- > **SPEED RATE:** T / R
- > **SECTION WIDTH:** 165-225
- > **RIM:** 14-16
- > **RATIO:** 65-75

SNOW LEOPARD VAN is designed for vans which driving on snow and icy roads in winter.

It has the coupling block pattern that provides stronger load capacity and stable handling performance can provide comfortable and quiet driving experience for you.



SNOW LEOPARD VAN



SIZE	L&S	PR			dB	
165R14LT						
175R14LT						
175/70R14C	99/95Q	8PR				
185R14C	102/100Q	8PR				
195/70R15C	104/102R		C	A	71	B
205/70R15C	106/104R		C	A	71	B
215/70R15C	109/107R		C	A	71	B
225/70R15C	112/110R		C	A	71	B
195/65R16C	104/102T					
205/75R16C	110/108R					
185/75R16C	104/102R		C	A	71	B
195/75R16C	107/105R		C	A	71	B
215/75R16C	113/111R		C	A	71	B
205/65R16C	107/105T		C	A	71	B
215/65R16C	109/107R		C	A	71	B
235/65R16C	115/113R	8PR	C	A	71	B
235/65R16C	121/119R	10PR	C	A	71	B
225/65R16C	112/110R	8PR	C	A	71	B

GENERAL DESCRIPTION

PRODUCT FEATURE

- > The Snow Leopard VAN tyre is specially designed for commercial vehicle and vans used in winter.
 - Outstanding grip and shorter braking on snow and wet.
 - High load-carrying capacity.
 - Lower rolling resistance and fuel consumption.
- > The pocket-type pump sipes remove water out of the road surface ensuring stable grip. Guarantee the sturdy novelty drives safely, durably and lightly on the urban streets and country roads alike.
- > The aggressive tread pattern together with the zigzag sipes, the pumpsipes boost the tyre's wet grip and ice grip further. The even denser and sharper zigzag siping of the aggressive tread pattern improves the grip in rain, snow and even ice.
- > The extremely strong double steel belt structure can reliably carry even high wheel loads. More flexible steel wire used for the belts improves structural durability and allows the tyre to maintain its state-of-the-art properties. This also reduces rolling resistance, which translates into lower fuel consumption.

ICE LEOPARD



- > **SPEED RATE:** T
- > **SECTION WIDTH:** 175-245
- > **RIM:** 13-19
- > **RATIO:** 40-70



EURO:	8x11
TSMI#:	TSMI-#12
Head Dia.:	11mm
COLOR:	Silver
WEIGHT:	2.0g
Qty:	100+

ICE LEOPARD



SIZE	L&S			dB	
175/70R13	82T	C	C	71	B
175/65R14	86T XL	C	C	71	B
185/65R14	90T XL	C	C	71	B
185/70R14	92T XL	C	C	71	B
185/55R15	86T	C	C	71	B
185/60R15	88T XL	C	C	71	B
185/65R15	92T XL	C	C	71	B
195/65R15	95T XL	C	C	72	B
205/65R15	99T XL	C	C	72	B
195/55R16	91T	C	C	72	B
205/55R16	94T XL	C	C	72	B
205/60R16	96T XL	C	C	72	B
215/60R16	99T XL	C	C	72	B
205/50R17	93T	C	C	72	B
215/50R17	95T	C	C	72	B
215/55R17	98T XL	C	C	72	B
225/45R17	94T XL	C	C	72	B
225/50R17	98T XL	C	C	72	B
225/55R17	101T XL	C	C	72	B
235/55R17	99T	C	C	72	B
225/40R18	92T	C	C	72	B
225/45R18	95T	C	C	72	B
235/45R18	98T XL	C	C	72	B
235/55R18	104T	C	C	72	B
245/45R18	100T	C	C	72	B
235/55R19	105T	C	C	72	B

GENERAL DESCRIPTION

PRODUCT FEATURE

- > The Ice Leopard studded winter tyre is designed for safe driving in deep snow and icy roads in nordic conditions.
 - Outstanding grip on snow and ice
 - Improved water drainage and aquaplaning resistance
 - Adapt to extreme nordic weather conditions
- > The directional pattern design with reinforcement on the center and the newly optimized pattern groove guiding angle can effectively improve the drainage performance and enhance the wet performance on wet roads. Makes more responsive to steering.
- > **OUTSTANDING GRIP ON ICE, SNOW AND WET SURFACES** Numerous lamellae and hem edges provide outstanding grip performance on ice, snow and wet surfaces.
- > Optimum traction characteristics. Adapts to snow of different depths, providing optimum traction characteristics.
- > **ADAPTS TO EXTREME TEMPERATURES** Special Soft rubber compound design guarantees powerful grip in extremely cold climate.

ICE LEOPARD SUV



- > **SPEED RATE:** T / Q
- > **SECTION WIDTH:** 215-285
- > **RIM:** 16-18
- > **RATIO:** 60-70



EURO:	8x11
TSMI#:	TSMI-#12
Head Dia.:	11mm
COLOR:	Silver
WEIGHT:	2.0g
Qty:	100+

ICE LEOPARD SUV



SIZE	L&S	PR			dB	
215/65R16	102T XL		C	C	72	B
265/70R16	112T		C	C	73	B
215/60R17	100T XL		C	C	72	B
225/60R17	103T XL		C	C	72	B
225/65R17	106T XL		C	C	72	B
235/65R17	108T XL		C	C	72	B
265/65R17	116T XL		C	C	73	B
235/60R18	107T		C	C	72	B
265/60R18	114T XL		C	C	73	B
285/60R18	116T		C	C	75	B
LT275/65R18	123/120Q	10PR				
LT275/70R18	125/122Q	10PR				

GENERAL DESCRIPTION

PRODUCT FEATURE

- > The Ice Leopard studded winter tyre is designed for safe driving in deep snow and icy roads in nordic conditions.
 - Outstanding grip on snow and ice
 - Improved water drainage and aquaplaning resistance
 - Adapt to extreme nordic weather conditions

- > The directional pattern design with reinforcement on the center and the newly optimized pattern groove guiding angle can effectively improve the drainage performance and enhance the wet performance on wet roads. Makes more responsive to steering.
- > **OUTSTANDING GRIP ON ICE, SNOW AND WET SURFACES** Numerous lamellae and hem edges provide outstanding grip performance on ice, snow and wet surfaces.
- > Optimum traction characteristics. Adapts to snow of different depths, providing optimum traction characteristics.
- > **ADAPT TO EXTREME TEMPERATURES** Special Soft rubber compound design guarantees powerful grip in extremely cold climate.

SNOW LEOPARD 3



- > **SPEED RATE:** T / H / V
- > **SECTION WIDTH:** 155-275
- > **RIM:** 13-21
- > **RATIO:** 35-70



SNOW LEOPARD 3



SIZE	L&S			dB	
175/70R13	82T				
155/65R14	75T				
175/70R14	84T				
185/70R14	88T				
185/60R14	82T				
215/65R15	96H	C	C	72	B
195/60R15	88T				
205/45R16	87H XL				
205/50R16	91H XL				
205/65R16	95H	C	C	72	B
225/60R16	98H XL				
235/60R16	100H				
265/70R16	112H				
195/55R16	91H				
205/45R17	88V XL				
215/65R17	103T XL				
235/60R17	102H				
245/45R17	99V XL				
215/50R17	95H				
215/45R17	91V				
215/60R17	96T				
225/50R18	99H XL	C	C	72	B
235/40R18	95V XL	C	C	72	B
245/50R18	104H				
245/60R18	105H	C	C	72	B
225/45R18	95H				
225/40R19	93V XL				
235/45R19	99V XL				
245/40R19	98V XL				
255/35R19	96V XL				
255/55R19	111H XL	C	C	73	B
255/60R19	113T XL	C	C	73	B
265/55R19	109H	C	C	73	B
275/35R19	100V XL				
275/40R19	105V XL	C	C	73	B
235/50R20	104H XL	C	C	72	B
235/55R20	105V XL	C	C	72	B
245/35R20	95V XL				
245/40R20	99V XL	C	C	72	B
245/45R20	103V XL	C	C	72	B
245/50R20	102H	C	C	72	B
255/35R20	97V XL				
255/40R20	101V XL	C	C	73	B
255/45R20	105V XL	C	C	73	B
255/50R20	109H XL	C	C	73	B
255/55R20	110V XL				
275/35R20	102H				
275/40R20	106V XL				
275/45R20	110H XL	C	C	73	B
275/50R20	113H XL	C	C	73	B
265/45R21	108H XL	C	C	73	B
275/45R21	110H XL	C	C	73	B

PRODUCT FEATURE	EFFECT	CUSTOMER BENEFIT
> The four longitudinal tread grooves are designed in a zigzag shape.	> Provides excellent handling performance on icy and snowy roads.	> Good traction and handling.
> The serrated grooves are matched with transverse grooves arranged at different inclination angles.	> Provides excellent snow handling performance.	> Increased grip on the road.
> The center groove and fine groove are designed to cross.	> Center groove and fine groove cross design.	> Effectively improves the drainage performance of the tire.

ice LEOPARD 2



- > SPEED RATE: **T**
- > SECTION WIDTH: **195-265**
- > RIM: **15-20**
- > RATIO: **40-75**



ice LEOPARD 2



SIZE	L&S			dB	
195/60R15	92T XL				
215/55R16	97T XL				
215/70R16	95T XL				
205/65R16C	107/105T				
225/65R16C	112/110T				
225/75R16C	116/114T				
235/65R16C	121/119T				
215/65R17	103T XL	C	C	72	B
235/45R17	97T XL	C	C	72	B
215/55R18	95T	C	C	72	B
225/55R18	102T XL	C	C	72	B
225/60R18	104T XL				
235/50R18	101T XL	C	C	72	B
245/40R18	97T XL	C	C	72	B
255/60R18	112T XL	C	C	73	B
245/45R19	98T	C	C	72	B
255/45R19	104T XL				
255/50R19	103T	C	C	73	B
255/55R19	107T	C	C	73	B
255/40R20	101T XL				
255/45R20	101T XL				
265/50R20	111T XL	C	C	73	B

PRODUCT FEATURE	EFFECT	CUSTOMER BENEFIT
> Two serrated longitudinal grooves.	> Effectively improve the tire's grip on icy and snowy roads.	> It ensures the tire's drainage performance and excellent handling performance on icy and snowy roads.
> The center area adopts an integrated pattern design.	> The center area adopts an integrated pattern design.	> Increased grip on the road.
> Special 3D sipe design.	> Improved the stability of snow grip performance.	> Improved the stability of snow grip performance.



